

New York State Division of Homeland Security and Emergency Services Hazard Mitigation Section

Archived Webinar Series

HazardMitigation@dhses.ny.gov www.dhses.ny.gov/hazard-mitigation

Part 1:
Benefit-Cost Analysis (BCA) Concepts



Benefit-Cost Analysis (BCA) | Concepts

To evaluate proposed hazard mitigation projects prior to funding, FEMA requires a Benefit-Cost Analysis (BCA) to validate cost-effectiveness.

The project's total net benefits divided by its total project cost is called Benefit-Cost Ratio (BCR). If the BCR is 1.0 or greater the project is considered cost-effective.

To ensure the project is cost-effective, applicant and subapplicant must use FEMA-approved methodologies and the Supplemental Guidance for the BCA Toolkit V6.0.



Welcome

Benefit-Cost Analysis (BCA) is the method by which the future benefits of a hazard mitigation project are determined and compared to its costs.

The end result is a Benefit-Cost Ratio (BCR), which is calculated by a project's total benefits divided by its total costs.

FEMA requires a BCA to validate cost effectiveness of proposed hazard mitigation projects prior to funding.

For a community and/or property, this tool will assist with:

- · Estimating Annual Hazard Risks
- Evaluating Mitigation Cost Effectiveness
- · Developing Aggregate Benefit-Cost Models

For more information, including methodologies of the calculation models used in this tool, visit FEMA BCA Website.

Getting Started

Click on the "BCA Calculator" button on the ribbon bar.



NEW Homeland Sect

BCA Helpline: 1-855-540-6744 (9AM-5PM (EST), M-F)

Email: bchelpline@fema.dhs.gov

Part 2: Introduction to BCA Toolkit Version 6.0



Benefit-Cost Analysis (BCA) | Toolkit Version 6.0

Download the official BCA Toolkit V6.0 Excel template from:

https://www.fema.gov/grants/guidan ce-tools/benefit-cost-analysis

Users will need Excel 2013 or later, or may use Excel Online Option

Benefit-Cost Analysis Toolkit



Due to Microsoft updates, users with older versions of Microsoft Windows and Excel (2013 and 2016) may experience functionality issues with the BCA Toolkit. If you are using an older version of Windows or Excel, FEMA recommends using the BCA Toolkit in Excel Online.

To help complete an analysis within the required guidelines, you must use the BCA Toolkit, which is a calculator developed using FEMA-approved methodologies and tools to show the cost-effectiveness of your projects. Do your BCA early in the project development process to make sure you will meet the cost-effectiveness eligibility requirement.

BCA Toolkit Installation Instructions

BCA Toolkit Version 6.0 ↓

Release Notes July 2020 🟃





BCA Helpline: 1-855-540-6744 (9AM-5PM (EST), M-F)

Email: bchelpline@fema.dhs.gov

Benefit-Cost Analysis (BCA) | Start


Initial Steps


Click FEMA BCA V6.0 Icon

FEMA BCA Calculator will appear on the righthand side of screen

Click "Open Calculator" to begin BCA in a new window

Click "Add Project" to begin






Benefit-Cost Analysis (BCA) | Toolkit Version 6.0

When using the help button (i). Always use the inner "Close" button after reviewing the content.

Where possible, default values have been populated in the Toolkit.
Switch the toggle to "No" to enter a custom value.

Make sure always provide comment and documentation if you do not use the default button.





Benefit-Cost Analysis (BCA) | Project Configuration

Project Title – Input the same title as used in the sub-application for the project:

Town of Sample_Main Street Culvert Upgrade

Property Location- Important to use correct address and GPS coordinate (Lat/Long) of the project .

Property Structure Type – Drop down selection (buildings, utilities, roads & bridges, or other)

Hazard Type – Drop down selection for the primary hazard being mitigated

Mitigation Action Type – Drop down selection that best relates to the proposed scope.

	Project Configuration	•	×			
	Project Title	Enter Project Title				
Ì	Property Location	Search by address		Use Property Location? • Yes		
ı		OR			-	
ı		Latitude		Longitude	Use Decimal Degrees? Yes	
ı		Latitude	Longit	ude		
		5-digit Zip C	State ~	Select County ~		
ì	Property Structure Type	Select Structure T	ype	~		
	Hazard Type	Select Hazard Type				
	Mitigation Action Type	Select Mitigation	Action Type	~		
	Property Title	Enter Property Title			•	
	Damage and Frequency Relationship based on:	Modeled (Damages	Historical Damages	Professional Expected Damages		



Benefit-Cost Analysis (BCA) | Project Configuration Damage and Frequency Relationship

Modeled Damages –

Select this option to perform the analysis on the property, regardless of past damage history. The BCA results for the selected hazard will be modeled based on the inputs provided. Mostly critical facilities and residential/nonresidential facilities have this option

Historical Damages –


Select this option if: Historic damages and losses, and the dates (years) are available.

 Sources of documents for Damages - Insurance claims, damage repair records, data from State/local agencies, newspaper citing, FEMA Project Worksheets (PW)

Professional Expected Damages –

Select this option if: the scientific data would show how much damage would result, If a given event were to occur.

 For example, a study for a drainage improvement shows the projected flood depths for a group of homes if the 100-year flood were to occur. Using the flood depths, calculate how much damage would occur.






Benefit-Cost Analysis (BCA) | Generators

For Generators, the modeled damages module is not available.

In order to set up the BCA analysis for Generators, the Damage and Frequency Relationship needs to be Historical Damages or Professional Expected Damages.

For Hazard Type, infrastructure failure can be selected because the project will mitigate power loss or uncategorized can be selected when multiple hazards are impacting the critical facility.



Benefit-Cost Analysis (BCA) | Cost Estimation


Project Useful Life (PUL) - Length of time that the mitigation project will provide protection. Help content has the FEMA standard values in PUL Summary Tables.

Initial Project Costs - Includes all costs required for completing the project, which is more than just construction, except the management fee of the project.

Number of Maintenance Years - The default is the same value as the Project Useful Life based on typical situations.

Annual Maintenance Costs - The annual cost which will be necessary for the upkeep of the components and the proposed mitigation project. Usually is less than what is the current upkeep.

Total Mitigation Project Cost - This field is auto-calculated from the above inputs.



Benefit-Cost Analysis (BCA) | Damage Frequency Assessment

Year of Analysis Conducted - **T**ypically the current calendar year.

Year Property was Built - When the asset being mitigated was built.

 i.e., buildings, utilities, roadways and bridges, other assets.

Analysis Duration - Auto-calculated from the above inputs.


Professional Expected, Or Historical Damages before Mitigation.

(Add row) for each event.

Recurrence Interval - Frequency of event which caused the historic damage or the expected damages to happen.

If Historical damages chosen, use

https://www.mvn.usace.army.mil/Portals/56/docs/PD/Donaldsv-Gulf.pdf





Benefit-Cost Analysis (BCA) | Recurrence Interval

Recurrence intervals and probabilities of occurences

Recurrence interval, in years	Probability of occurrence in any given year	Percent chance of occurrence in any given year	
100	1 in 100	1	
50	1 in 50	2	
25	1 in 25	4	
10	1 in 10	10	
5	1 in 5	20	
2	1 in 2	50	

A recurrence interval (RI) is a frequency of an event which caused the historic damage.

The USGS clarifies that the RI is based on the probability that the given event will be equaled or exceeded in any given year.




Benefit-Cost Analysis (BCA) | Recurrence Interval

When working specifically within the Historical Damages approach, note a requirement for analysis:

 Minimum of one known-frequency event or a minimum of three unknown-frequency events.

If at least three unknown-frequency events are provided, there is a built-in Unknown Frequency Calculator feature that autocalculates RI values.

- Typically assumes that events are occurring in different years.
- If more than one damaging event occurred in a single calendar year, the user should request guidance from the BCA Helpline.



Benefit-Cost Analysis (BCA) | Recurrence Interval Resources

Advanced Technology Council data for hurricane windspeed and seismic data by location: https://hazards.atcouncil.org/

National Weather Service, Precipitation Frequency Data Server: http://hdsc.nws.noaa.gov/hdsc/pfds/

NOAA National Centers for Environmental Information: Storm Events Database at https://www.ncdc.noaa.gov/stormevents

- U.S. Geological Survey stream gage data at https://waterdata.usgs.gov/ny/nwis/sw can be used to extrapolate frequency information for flood events.
 - See section 2.1.2 from Supplement to the BCA Reference Guide (2011).

Read more on this topic from USGS at: https://www.usgs.gov/centers/new-jersey-water-science-center/floods-recurrence-intervals-and-100-year-floods



Benefit-Cost Analysis (BCA)

Standard Benefit: Ecosystem


These benefits are great for Acquisition and any project that helps to create open space, Riparian, Wetland, Forests, Marine Estuary.

Social benefits: -

When the project provides services for the community. How many residence does the project serve? How Many of those residences work?

Benefit Cost summary:

Auto Populates and results in Benefit Cost Ratio (BCR).



Benefit-Cost Analysis (BCA) | Toolkit Version 6.0

Roads and bridges or Projects effecting roads and bridges:

Estimated Number of One-Way Traffic Detour Trips per Day:

Additional Time per One-Way Detour Trip (minutes):

Number of Additional Miles:

Federal Rate (\$):

Economic Loss Per Day of Loss of Function (\$): Use Default? yes


Or with documentation choose NO as default and provide the value.

Roads and Bridges Properties		0 ×
Estimated Number of One-Way Traffic Detour Trips per Day:	0	=======================================
Additional Time per One-Way Detour Trip (minutes):	0	5
Number of Additional Miles:	0	5
Federal Rate (\$):	056	Use Default 🕦 Yes 📑
Economic Loss Per Day of Loss of Function (\$):		



Benefit-Cost Analysis (BCA) | Toolkit Version 6.0

- A BCA submission consists of a BCA file (Excel) and BCA report (PDF)
- After pressing the Finish button. You be able to view the report by clicking the view report
- Place the curser on top of the page and drag it down to view the excel file. Save the excel file for future use.
- Use the Print report to either print or save it as PDF
- Allot a separate folder for the supporting documentation.
- Once the BCA submission is final, check all the comment boxes, check all the references to all documents.
- Place all files into a ZIP file.
- Use a consistent naming scheme throughout, which would aid the review process.





Questions



Part 3:
Pre-Calculated Benefits



Benefit-Cost Analysis (BCA) | Pre-Calculated Benefits

acquisition projects (buyout): if the cost of the project is under \$323,000 per structure and located in the SFHA then no BCA is required.

elevation projects: if the cost of the project is under \$205,000 per structure and located in the SFHA then no BCA is required. buyout/elevation local multiplier: can be added to the

threshold cost results in higher costs by geographic location

• https://www.constructionworkzone.com/estimating tools /regional cost adjustments.

hospital generators: ≤ \$6.95 per hospital building gross square footage (BGSF) in urban areas and \$12.62 per hospital BGSF in rural areas.

- must have an emergency department
- stand-alone solution

precalculated benefits FEMA guidance:

https://www.fema.gov/grants/guidance-tools/benefit-cost-analysis

Pre-Calculated Benefits

To streamline the grant application process, FEMA has released pre-calculated analyses for several eligible projects.

- Acquisitions and Elevations in the Special Flood Hazard Area (SFHA)
- Residential Hurricane Wind Retrofits
- Non-Residential Hurricane Wind Retrofits
- Individual Tornado Safe Rooms
- Hazard Mitigation Grant Program Post Wildfire
- Hospital Generators
 - Methodology Report

The pre-calculated benefits and benchmark costs are not intended to drive actual project costs or to serve as detailed project cost estimates. Individual project cost estimates must be based on industry standards, vendor estimates or other acceptable sources. Projects must still meet all other grant requirements.

Example: Acquisition of three properties;

Structure 1 \$170,000 Structure 2 \$380,000 Structure 3 \$299,000

Total \$849,000 Average \$283,000 (less than \$323,000)

Example: Elevation of three structures:

 Structure 1
 \$195,000

 Structure 2
 \$210,000

 Structure 3
 \$175,000

otal \$580,000 Average \$193,333 (less than \$205,000)

To account for potential higher project cost based on geographic location, the pre-calculated benefit amounts listed above may be adjusted by using the most current locality multipliers. The multiplier should come from an industry accepted construction cost guide (i.e., RS Means) and a copy of the source document must be provided.

Example: Newburgh, NY – BNi Building News provides a regional multiplier for 19% above national average, therefore, \$323,000 + 19% = \$384,370 pre-calculated benefits for acquisition project.



Homeland Security

Benefit-Cost Analysis (BCA) | Additional Resources

FEMA's 2009 BCA Reference Guide**: https://www.fema.gov/sites/default/files/2020-04/fema_bca_reference-guide.pdf

FEMA's 2011 Supplement to the BCA Reference Guide**: https://www.fema.gov/sites/default/files/2020-08/fema_bca_guide-supplement.pdf

FEMA's July 2020 BCA Toolkit 6.0 Release Notes: https://www.fema.gov/sites/default/files/2020-08/fema_bca_toolkit_release-notes-july-2020.pdf

FEMA BCA Toolkit 6.0 Installation Instructions: https://www.fema.gov/fact-sheet/fema-bca-toolkit-60-installation-instructions

FEMA's 2019 Benefit-Cost Analysis Training Materials (E/L 0276 course): https://www.fema.gov/grants/guidance-tools/benefit-cost-analysis/training

FEMA's BCA Landing Page, including a section on Pre-Calculated Benefit materials: https://www.fema.gov/grants/guidance-tools/benefit-cost-analysis

FEMA Flood Map Service Center (MSC): https://msc.fema.gov/portal/home

** Though their content is based on use of BCA Toolkit version 5.3.0, especially the included screenshots, the general principles discussed still apply to date in BCA Toolkit version 6.0.

Questions



Part 4:
Additional Information
&
Q&A



DHSES Mitigation Technical Assistance Contact

DHSES has a team available and ready to provide

- Technical assistance with application development,
- Assistance with the Benefit-Cost Analysis (BCA)
- Assistance to applicants who are not familiar with the mitigation grant process.

Please reach out to the DHSES Mitigation Team for more information:

Call us at: hazradmitigation@DHSES.NY.GOV

https://www.dhses.ny.gov/hazard-mitigation



Questions

